

	Hits	Search Text	DBs
1	4656	data\$1set\$1 and value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	33	S1 and ((translat\$5 or convert\$5) with (data near5 (set\$1 or group\$1))) and schema\$1 and (rule\$1 same map\$5) and type\$1 and (relationship\$1 or link\$5 or associat\$5) and (instruction\$1 or code\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	25	S2 and (@ad < "20010615")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	1	S4 and ((assign\$5 or allocat\$5 or appoint\$5) with (key\$1 or id\$1 or identification\$1 or identiflier\$1) with (request\$1 or inquir\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	25	S3 and (destination\$1 or target\$4) and stor\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	1	(receiv\$5 with data\$1set\$1) and (@ad < "20010615") and ((translat\$5 or convert\$5) with (data near5 (set\$1 or group\$1))) with schema\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	0	S6 and (map\$5 with rule\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
8	1	S6 and rule\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	1	S8 and map\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	1	S9 and (destination\$1 or target\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	0	S10 and ((assign\$5 or allocat\$5 or appoint\$5) with (key\$1 or id\$1 or identification\$1 or identifier\$1) with (request\$1 or inquir\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	0	S10 and ((assign\$5 or allocat\$5 or appoint\$5) with (key\$1 or id\$1 or identification\$1 or identifier\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	0	S5 and (xml or (extensible adj mark\$1up adj language\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	5150	((assign\$5 or allocat\$5 or appoint\$5) with (key\$1 or id\$1 or identification\$1 or identifier\$1) with (request\$1 or inquir\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
15	3070	S14 and (@ad < "20010615")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	105	S15 and (xml or (extensible adj mark\$1up adj language\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	46	S16 and java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	21	S17 and rule\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	6	S18 and (ack or acknowledgement\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	6	S19 and type\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	2	S20 and times	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	0	S21 and ((tranlat\$5 or convert\$5) with data\$1set\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
23	0	S15 and ((tranlat\$5 or convert\$5) with data\$1set\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	1	S21 and ((tranlat\$5 or convert\$5) with data\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	0	S25 and schema\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	1	S24 and instance\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	2	neutral near5 data\$set\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	40	(neutral or intermediate\$1) near5 data\$set\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	23	S28 and (@ad < "20010615")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	15	S29 and (data with value\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
31	10	S30 and ((translat\$5 or convert\$5) with (data or data\$1set\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	7	S31 and (ack or acknowledge\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	7	S32 and ((modif\$6 or chang\$6 or alter\$5 or amend\$5) with (data or data\$1set\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	0	S33 and ((replac\$5 or substitu\$6) with null with value\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	0	S33 and ((replac\$5 or substitu\$6) same null same value\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	5	S33 and (replac\$5 or substitu\$6) and null	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	0	S37 and schema\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	0	S37 and java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
39	5	S33 and ((replac\$5 or substitu\$6) same null )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	8	gateway\$1 and (sql with xml with translat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	8	gateway\$1 and (sql with xml with translat\$5) and interface\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	8	S41 and data\$1base\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	1	S42 and bridge\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	8	(gateway\$1 or adaptor\$1) and (sql with xml with translat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	4	S44 and ((translat\$5 or convert\$5) with (data or data\$1set\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
1	50	(("6829606") or ("6336137") or ("6768994") or ("6279006") or ("6631519") or ("6766326") or ("5857197") or ("6421673") or ("6535880") or ("6725222") or ("6735594") or ("6418446") or ("6418448") or ("6446256") or ("6449620") or ("6535884") or ("6581062") or ("6604100") or ("6611843") or ("6658429") or ("6681223") or ("6697818") or ("6732095") or ("6751631") or ("6754671") or ("6785673") or ("6804677") or ("6816864") or ("6094649") or ("6250309") or ("6263051") or ("6292933") or ("6351776") or ("6356920") or ("6366934") or ("6377953") or ("6397232") or ("6405204") or ("6421656") or ("6519597") or ("6529905") or ("6584459") or ("6587547") or ("6593943") or ("6606596") or ("6631379") or ("6654737") or ("6658093") or ("6697693") or ("6697817")) .PN.	USPAT
2	0	L1 AND ((receiv\$5 and (translat\$5 or convert\$5) and stor\$5) with (data\$1set\$1 or (data near5 set\$1) or (data near5 group\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	20	L1 AND ((receiv\$5 and (translat\$5 or convert\$5) and stor\$5) with (data\$1set\$1 or (data near5 set\$1) or (data near5 group\$1) or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
4	1	l3 and ((assign\$5 or allocat\$5 or appoint\$5) with (key\$1 or id\$1 or identification\$1 or identifier\$1) with (request\$1 or inquir\$3 or search\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	4	((("6363411") or ("20020108121") or ("20040172278") or ("6336137"))).PN.	US-PGPUB; USPAT
6	3	l10 and source\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	2	l11 and map\$4 and rule\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	1	l12 and (xml or (extensible adj mark\$1up adj language\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	1	l10 and null	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB



	Hits	Search Text	DBs
10	123	((translat\$5 or transform\$5 or convert\$5) with (xml or (extensible adj markup adj language)) with (sql or (structure\$1 adj quer\$4 adj language\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	40	115 and (@ad < "20010615")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	13	116 and gateway\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	3	117 and rule\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	2	118 and pars\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	2	120 and bridge\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
16	2	121 and browser\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB